

your source for engineered solutions

Over 765
Individual
bushing and
bushing kits



Look for SAP



Who's Designing Your Bushings?

Seal Aftermarket Products carries one of the most comprehensive lines of individual bushings and bushing kits in the industry. SAP offers over 500 different foreign and domestic applications in a variety of materials.

While one might not put much consideration into these small, yet critical components, the engineers at SAP have gone the extra mile to carefully select and ensure each bushing is matched with the proper material providing improved fatigue resistance, a stable fit and finish (ability to adapt), and corrosion resistance.

In addition to the mindful material selection, machined patterns like grooves, dimples and holes are evaluated to assist in extending the life of bushings.

Contact SAP or your local distributor for more information

Features and Benefits:

- Largest selection of individual bushing and kits including hard-to-find and most recent applications
- Available separately or in kits
- Carefully selected for each application
- Engineered utilizing best-in-class materials and machining processes

| Bushing Material | Performance Characteristic | |
|------------------|---|--|
| | Advantage(s) | Disadvantage(s) |
| Babbit | A more stable fit and finish (ability to adapt) | Low load-carrying capacity |
| Bronze | Good load carrying capacity and fatigue resistance | A less stable fit and finish (ability to adapt) More rigid, durable fit |
| Aluminum | Replaced babbit material for several reasons. Possess relatively good fatigue resistance. | |

Other design/material improvements include Teflon® coating

Seal Aftermarket Products

2315 SW 32 Avenue
Pembroke Park, FL 33023 U.S.A.
Toll Free (800) 582-2760
Telephone (954) 364-2400
email: customerservice@sealsap.com
www.sealsap.com

2013 SFMA & MAF Manufacturer of the Year recipient.

IMPORTANT NOTICE: Seal Aftermarket Products (SAP) reserves the right to make changes to, or discontinue any product or service identified in this publication without notice. All shipments are FCA Pembroke Park, FL. Price and availability subject to change. Possession of price list does not constitute an offer to sell.
©2016 Seal Aftermarket Products. All rights reserved.



BUSHING KITS

| SAP | Description |
|-----------------------|---|
| Chrysler | |
| 49030 | A404 A413 A470 A670 (10 Bushings) |
| 49330A | A500 (Overdrive Section Only) 1988-Up (7 Bushings) |
| 49330A | A518 A618 (Overdrive Section Only) 1990-Up (7 Bushings) |
| 49330B | A518 A618 1990-Up (14 Bushings) |
| 49930F | A604 1989-95 (9 Bushings) |
| 49930A | A604 1996-Up (9 Bushings) |
| 49930B | A604 2001-Up (9 Bushings) |
| 49930C | A606 1993-95 (10 Bushings) |
| 49930D | A606 1996-00 (10 Bushings) |
| 49930A | A606 1996-Up (9 Bushings) |
| 49930E | A606 42RL 2001-Up (10 Bushings) |
| 49330 | A727 A518 (W/Out Overdrive Section) 1971-E92 (8 Bushings) |
| 49660 | A904 A500 (W/Out Overdrive Section) 1968-E92 (9 Bushings) |
| Ford | |
| 46430EX | 4R100 (W/Out Case Rear Bushing) 1998-Up (11 Bushings) |
| 46430E | 4R100 1998-Up (12 Bushings) |
| 46130W | 4R70W 1992-Up (16 Bushings) |
| 46830 | 5R110W 2005-Up (16 Bushings) |
| 45030G | 5R55N 5R55S 5R55W 1999-Up (5 Bushings) |
| 45030 | A4LD 4R44E 4R55E 1985-Up (14 Bushings) |
| 46060 | AOD AODE (With Cast Iron Drums) 1980-Up (16 Bushings) |
| 76030A | AODE 4R70W 1992-93 (15 Bushings) |
| 76030B | AODE 4R70W 1994-Up (14 Bushings) |
| 35130 | AW55-50SN AW55-51SN 2000-Up (11 Bushings) |
| 46330A | AX4N 1995-Up (13 Bushings) |
| 46330 | AXOD AXODE 1986-Up (18 Bushings) |
| 31538 | C-3 1974-87 (10 Bushings) |
| 45331A | C4 C5 1970-86 (8 Bushings) |
| 45331 | C4 C5 1970-86 (9 Bushings) |
| 45640 | C6 1966-Up (10 Bushings) |
| 46530 | CD4E 1994-Up (16 Bushings) |
| 46430 | E40D 4R100 1989-Up (14 Bushings) |
| 27330 | F3A 1981-Up (14 Bushings) |
| Ford/GM | |
| 46030B | 6F35 2009-Up (12 Bushings) |
| 25030 | 6F50 6F55 6T70 6T75 2007-Up |
| 45030A | 6L50 2007-Up (10 Bushings) |
| 45030B | 6L80 6L90 2006-Up (14 Bushings) |
| 236030 | 6R140 2011-Up |
| 31830GA | 6R60 2006-Up (10 Bushings) |
| General Motors | |
| 40030A | 125 125C 1979-Up (10 Bushings) |
| 40030 | 125 125C 1980-Up (13 Bushings) |
| 31638 | 180 180C 1969-Up (5 Bushings) |
| 40430 | 200 200C 1976-87 (10 Bushings) |
| 40930 | 200-4R 1981-90 (14 Bushings) |
| 41260 | 250 350 1969-86 (12 Bushings) |
| 41261 | 250C 350C 1980-86 (12 Bushings) |
| 41530 | 400 1964-Up (10 Bushings) |
| 41931 | 440-T4 1983-91 (11 Bushings) |
| 49530D | 45RFE 5-45RFE 1999-Up (12 Bushings) |
| 31630A | 4L30E 1989-Up (10 Bushings) |
| 41730 | 4L80E 1991-96 (13 Bushings) |
| 41730B | 4L80E 1997-Up (12 Bushings) |
| 41730B-1 | 4L80E W/Out Ext Housing & Front Stator 1997-Up (10 Bushings) |
| 41830 | 4T40E 1995-Up (15 Bushings) |
| 41931E | 4T60E 1991-95 (16 Bushings) |
| 41931D | 4T65E 1997-Up (12 Bushings) |
| 46030A | 6T40 6T45 6T50 2008-Up (3 Bushings) |
| 42330A | 700R4 4L60E 4L70E (27 & 30 Spline Input Shaft) 1984-Up (14 Bushings) |
| 42330AT | 700R4 4L60E 4L70E With PTFE Coated Pump Bushing (27 & 30 Spline Input Shaft) 1984-Up (14 Bushings) |
| 42330AT-1 | 700R4 4L60E 4L70E With PTFE Coated Pump Bushing (27 & 30 Spline Input Shaft) W/Out Ext Housing & Front Stator 1984-Up (12 Bushings) |
| 42331 | 700R4 4L60E With 30 Spline Input Shaft 1984-Up (12 Bushings) |
| 42330 | 700R4 Spline Input 1982-84 (12 Bushings) |
| 26330 | A440F A442F 1985-95 (15 Bushings) |
| 41262 | TH350 1969-77 (9 Bushings) |
| Aisin | |
| 35030 | 50-40 50-42LE 1989-Up (11 Bushings) |
| Honda | |
| 28930B | BAXA MAXA B6VA MDWA M6HA 1997-01 (3 Bushings) |
| 28930B | MPWA MPZA M7ZA M6HA B6VA M1WA (3 Bushings) |
| 28930A | MPVA M5DA (4 Bushings) |
| 28730B | PX4B MPXA APXA APX4 AOYA MPOA BOYA A6VA (3 Bushings) |
| 28730A | S24A A24A M24A P24 M4TA SDMA (4 Bushings) |
| 28730 | S4XA S7PA M7PA PY8A MY8A RO MPRA A4RA (3 Bushings) |
| Hyundai | |
| 41030 | A4CF1/2 2006-Up (8 Bushings) |
| Mitsubishi | |
| 37030 | F4A33-1 W4A33-1 1990-Up (11 Bushings) |
| 37330 | F4A41 F4A42 1996-Up (4 Bushings) |
| 37330A | F4A51 1997-Up (7 Bushings) |
| 32350 | F4AEL 4EAT-F 1990-Up (9 Bushings) |
| 41030B | F5A51-2001-Up |
| 27830 | G4A-EL 1987-Up (9 Bushings) |
| 27830A | G4A-EL W/Out Converter Bushings 1987-Up (7 Bushings) |
| 28339A | KM170 KM171 KM172 KM175-5 KM172-5 1979-Up (8 Bushings) |

BUSHING KITS

| SAP | Description |
|-------------------|--|
| 28368 | KM170 KM171 KM172 KM175-5 KM172-5 KM177 Low & Reverse 1979-Up (3 Bushings) |
| 28355 | KM170 KM171 KM172 KM175 1979-98 (2 Bushings) |
| 28339 | KM171-5 KM175-5 KM176-5 KM177-8 1989-Up (13 Bushings) |
| 28339D | KM172 Early 3 Speed 1983-88 (9 Bushings) |
| 28239 | KM175 Early 4 Speed 1985-88 (12 Bushings) |
| Nissan | |
| 29630A | RE4F04A RE4F04V 1992-Up (10 Bushings) |
| 173030 | RE5R05A 2002-Up (12 Bushings) |
| 50230 | RG4R01A RE4R03A JR403E 1987-Up (14 Bushings) |
| 27239 | RL3F01A RN3F01A 1981-Up (8 Bushings) |
| 27650 | RL4F02A RE4F02A (Long) 1984-94 (12 Bushings) |
| 27630 | RL4F02A RE4F02A (Short) 1984-Up (7 Bushings) |
| 29630 | RL4F03A RE4F03A 1991-Up (10 Bushings) |
| 26930 | RL4R01A RE4R01A 1987-Up (13 Bushings) |
| Renault | |
| 29130A | AD4 AD8 (8 Bushings) |
| 25030A | DPO AL4 1998-Up (10 Bushings) |
| Toyota | |
| 25830 | A130 A140 A240 1983-Up (10 Bushings) |
| 26130 | A340 1985-Up (15 Bushings) |
| 25429 | A40 A41 A43 (AW55 BW55 Volvo) (11 Bushings) |
| 26330B | A450-43LE 1999-Up |
| 24030 | A540 1988-Up (8 Bushings) |
| 24030A | A540H 1989-Up (9 Bushings) |
| 77030 | AB60E AB60F 2007-Up (9 Bushings) |
| Volkswagen | |
| 31128 | 010 087 089 090 1975-92 (6 Bushings) |
| 34130 | 095 096 097 098 (7 Bushings) |
| ZF | |
| 32230A | ZF4HP18F1 1988-Up (5 Bushings) |
| 31830G | ZF6HP26 2001-Up (12 Bushings) |

BUSHINGS

| SAP | Description |
|-----------------|---|
| Chrysler | |
| 49534DA | 45RFE 5-45RFE 68RFE Input Clutch Hub 99-Up |
| 49537D | 45RFE 5-45RFE 68RFE Input Planet 99-Up |
| 49532D | 45RFE 5-45RFE 68RFE Input Shaft 99-Up |
| 49538DA | 45RFE 5-45RFE 68RFE Low/Reverse Clutch Housing (Rear) 99-Up |
| 49534D | 45RFE 5-45RFE 68RFE Overdrive Hub 99-Up |
| 49535D | 45RFE 5-45RFE 68RFE Reaction Planet Ring Gear 99-Up |
| 49538D | 45RFE 5-45RFE Low/Reverse Clutch Housing (Front) 99-Up |
| 49533D | 45RFE 5-45RFE Overdrive/Reverse Piston Housing 99-Up |
| 49536D | 45RFE 5-45RFE Reaction Planet 99-Up |
| 49531D | 45RFE 5-45RFE Stator (Front) 99-Up |
| 49531DA | 45RFE 5-45RFE Stator (Rear) 99-Up |
| 49332A | A504 A518 Overdrive Sun Gear (No Flange) (Front 90-93) (Rear 90-Up) (Bronze) |
| 33343 | A500 Extension Housing (1.69 ID) 88-Up (Bronze) |
| 49334A | A500 Output Shaft To Intermediate Shaft (0.605 ID) 89-Up (Bronze) |
| 49335A | A500 Output Shaft To Overdrive Sprag Race (2.27 OD) 89-Up (Bronze) |
| 49332C | A500 Overdrive Sun Gear (Front) W/Out Flange (1.50 OD) 99-Up |
| 49332B | A500 Overdrive Sun Gear (Front) With Flange (1.42 OD) 89-99 |
| 49334A | A518 A618 Output Shaft To Intermediate Shaft 90-Up (Bronze) |
| 49335A | A518 A618 Output Shaft To Overdrive Sprag Race (2.27 OD) 90-Up (Bronze) |
| 49332C | A518 A618 Overdrive Sun Gear (Front) No Flange (1.50 OD) 99-Up |
| 49332B | A518 A618 Overdrive Sun Gear (Front) With Flange (1.42 OD) 89-99 |
| 92099 | A604 1989-Up (Boost Pressure Regulator Prevents Leaks past the Line Reducing Valve) |
| 49931 | A604 2-4 Clutch Hub 89-95 (Bronze) |
| 49931A | A604 2-4 Clutch Hub 96-Up |
| 33390 | A604 Extension Housing (1.52 OD) (Bronze) |
| 49935 | A604 Input Clutch Hub (Front) (1.90 OD) (1.79 ID) (Bronze) |
| 49934 | A604 Input Shaft (Rear) (1.595 OD) 89-91 |
| 49934A | A604 Input Shaft (Rear) 2001-Up |
| 49933 | A604 Overdrive Clutch Hub (0.96 OD) (.283 Tall) 89-95 (Bronze) |
| 49933A | A604 Overdrive Clutch Hub (.0945 OD) (.365 Tall) 96-Up |
| 33382 | A604 Pump Body (Bronze) |
| 49932 | A604 Rear Planet (1.22 OD) (1.10 ID) (Bronze) |
| 49931 | A606 2-4 Clutch Hub 93-95 (Bronze) |
| 49931A | A606 2-4 Clutch Hub 96-Up |
| 49936 | A606 Differential Housing (Inner) (1.32 OD 1.12 ID) (Bronze) |
| 49935 | A606 Input Clutch Hub (Front) (1.90 OD 1.79 ID) (Bronze) |
| 49934 | A606 Input Shaft (Rear) (0.595 OD) 89-91 |
| 49934A | A606 Input Shaft (Rear) 2001-Up |
| 49933A | A606 Overdrive Clutch Hub (0.945 OD) 96-Up |
| 49933 | A606 Overdrive Clutch Hub (0.96 OD) 93-95 (Bronze) |
| 33382 | A606 Pump Body (Bronze) |
| 49932 | A606 Rear Planet (1.22 OD 1.10 ID) (Bronze) |
| 33386A | A727 A518 Pump With Ball Identification 62-Up (Bronze) |
| 33384 | A727 A518 A618 Direct Drum (With Oil Groove) (2.62 OD) (2.50 ID) 71-Up (Bronze) |
| 33357 | A727 A518 A618 Extension Housing (1.69 ID) (Babbitt) |
| 33343 | A727 A518 A618 Extension Housing (1.69 ID) (Bronze) |
| 49331 | A727 A518 A618 Stator Support (Rear) (1.30 OD) (1.17 ID) 1967-E93 (Bronze) |
| 49331A | A727 A518 A618 Stator Support (Rear) (1.36 OD) (1.25 ID) L1993-Up (Bronze) |
| 49332 | A727 A518 A618 Sun Gear (1.34 OD) 1962-Up (Bronze) |
| 33385 | A727 A518 Pump Body (2.00 OD) (1.88 ID) (Babbitt) |
| 33386 | A727 A518 Pump Body (2.00 OD) (1.88 ID) (Bronze) |

BUSHINGS

| SAP | Description |
|-------------|---|
| 49333A | A727 Input Shaft (0.75 OD) (0.64 ID) 1962-89 |
| 49631A | A904 A500 Direct Drum (Front) (2.20 OD) L1992-Up (Bronze) |
| 49631B | A904 A500 Direct Drum (Rear) (2.06 OD) L1992-Up (Bronze) |
| 49631 | A904 A500 Drum (Front) Wide (2.06 OD) L1992-Up (Bronze) |
| 49638 | A904 A500 Front Gear Hub (1.63 OD) 1976-Up (Bronze) |
| 33383 | A904 A500 Pump Body (Babbitt) |
| 33382 | A904 A500 Pump Body (Bronze) |
| 49635 | A904 A500 Stator (1.11 OD 0.99 ID) 1978-Up (Bronze) |
| 49632 | A904 A500 Sun Gear (1.19 OD) (Bronze) |
| 49637 | A904 Extension Housing (1.69 OD 1.57 ID) 1966-Up (Babbitt) |
| 49634 | A904 Stator (0.97 OD 0.89 ID) 1968-77 (Bronze) |
| Ford | |
| 32330D | 4F27E FN4AEL 1999-Up (9 Bushings) |
| 32352D | 4F27E FN4AEL End Cover 1999-Up |
| 32353D | 4F27E FN4AEL Pump Body 1999-Up |
| 32354D | 4F27E FN4AEL Pump Stator 1999-Up |
| 32355D | 4F27E FN4AEL Rear Planet Pinion to OD Drum 1999-Up |
| 32351D | 4F27E FN4AEL Reverse Drum 1999-Up |
| 46436 | 4R100 Coast Clutch (2.82 OD 2.70 ID) 1998-Up (Bronze) |
| 46041 | 4R70W Extension Housing Large (1.73 OD) (1.61 ID) 1993-Up (Bronze) |
| 46838 | 5R110W Case (1.740 ID) With Oil Pockets 2003-Up |
| 46835A | 5R110W Center Support (Center) (1.735 ID) 2003-Up |
| 46835 | 5R110W Center Support (Front) (1.840 ID) 2003-Up |
| 46835B | 5R110W Center Support (Rear) (1.985 ID) 2003-Up (Babbitt) |
| 46833 | 5R110W Coast Clutch Drum 2003-Up (Babbitt) |
| 46834 | 5R110W Coast Clutch Hub (.415 Wide) (3.00in ID) 2003-Up |
| 46836 | 5R110W Direct Drum (Front & Rear) 2003-Up |
| 46837 | 5R110W Forward Drum 2003-Up (Babbitt) |
| 46837A | 5R110W Forward Drum 2005-Up |
| 46431B | 5R110W Pump (2.12 OD) (2.00 ID) 2003-Up (Bronze) |
| 45630 | 5R110W Stator (Front) (1.10 OD) (Bronze) |
| 45631 | 5R110W Stator (Rear) (1.12 OD) (1.00 ID) (Bronze) |
| 46839 | 5R110W Tail Housing 2003-Up |
| 31533 | 5R55N 5R55S 5R55W Coast Clutch Drum (Cast Iron) 1999-Up |
| 31531 | 5R55N 5R55S 5R55W Overdrive Sun Gear 1999-Up |
| 31530 | 5R55N 5R55S 5R55W Pump Cover 1999-Up |
| 45039 | 5R55N 5R55S 5R55W Stator (Front) 1999-Up |
| 31532 | 5R55N 5R55S 5R55W Stator (Rear) 1999-Up |
| 31531 | 5R55N 5R55S 5R55W Stator Front |
| 45039 | A4LD 4R44E 4R55E 5R55E Stator (Front) With Grooves On ID & OD (Bronze) |
| 45038 | A4LD Output Shaft Pilot 1985-89 |
| 46034 | AOD AODE 4R70W Direct Drum (0.90 OD) 1980-Up (Bronze) |
| 46033 | AOD AODE 4R70W/E 4R75W/E Center (Planet) Support (3.30 OD) 1980-Up (Babbitt) |
| 46032 | AOD AODE 4R70W/E 4R75W/E Forward Sun Gear (1.31 OD) 1980-Up (Babbitt) |
| 46035 | AOD AODE 4R70W/E 4R75W/E Planet Brake Drum (Rear) (1.380 OD) 1980-Up (Bronze) |
| 46038 | AOD AODE 4R70W/E 4R75W/E Planet Carrier Front 1980-Up (Bronze) |
| 33354 | AOD AODE 4R70W/E 4R75W/E Pump (2.12 OD 0.760in Height) 1980-Up (Babbitt) |
| 46040 | AOD AODE 4R70W/E 4R75W/E Reverse Clutch Drum (Front) 1980-Up (Bronze) |
| 46037 | AOD AODE 4R70W/E 4R75W/E Reverse Clutch Drum (Rear) 1980-Up (Bronze) |
| 46036 | AOD AODE 4R70W/E 4R75W/E Reverse Sun Gear (Sun Shell) 1980-Up (Bronze) |
| 46031 | AOD AODE 4R70W/E 4R75W/E Turbine Shaft (0.89 OD) 1980-Up (Bronze) |
| 46042 | AOD AODE Case Rear (Top Hat Replaces Case Bushing) 1980-Up |
| 33356 | AOD AODE Extension Housing (1.63 OD) (1.500 ID) 1980-92 (Babbitt) |
| 46039 | AOD Stator (Rear) (1.27 OD) (1.14 ID) 1980-91 (Bronze) |
| 45630 | AODE 4R70W/E 4R75W/E Stator (Front) (1.10 OD) 1980-Up (Bronze) |
| 46030 | AODE 4R70W/E 4R75W/E Stator (Front) (Later Design) 1994-Up (Bronze) |
| 46039A | AODE 4R70W/E 4R75W/E Stator (Rear) (1.27 OD) (1.1 ID) 1994-Up (Bronze) |
| 46235 | ATX Converter Reaction Shaft 1981-Up (Bronze) |
| 46232 | ATX Direct Drum (Early) Thin 1981-84 (Bronze) |
| 33373 | ATX Direct Drum (Late) Thick (1.28 OD) (1.13 ID) 1981-Up (Bronze) |
| 46237 | ATX Front Pump Gear (1.48 OD) 1981-Up (Bronze) |
| 46239 | ATX Planet Assembly (1.16 OD) (1.04 ID) 1981-Up (Bronze) |
| 46231A | ATX Pump Cover (0.73 OD) (0.60 ID) 1981-Up (Bronze) |
| 46351A | AX4N Direct Overrun Drum (With 12 Slotted Holes) (5/8in Wide) 1995-Up |
| 46332 | AXOD AXODE AX4N Converter Hub 1986-Up |
| 40036 | AXOD AXODE AX4N Converter Reactor 1986-Up |
| 46331 | AXOD AXODE AX4N Direct Intermediate Clutch Drum 1986-Up (Bronze) |
| 46339 | AXOD AXODE AX4N Driven Sprocket Support 1986-Up |
| 46350 | AXOD AXODE AX4N Final Drive Sun Gear 1986-Up |
| 46353 | AXOD AXODE AX4N Overdrive Drum 1986-Up (Bronze) |
| 46352 | AXOD AXODE AX4N Rear Case 1986-Up |
| 46338B | AXOD AXODE AX4N Rear Planet (Wide) (1.97 OD) 1986-Up |
| 46338 | AXOD AXODE AX4N Rear Planet 1986-Up |
| 46353A | AXOD AXODE AX4S Overdrive Drum 1986-Up (Babbitt) |
| 46351 | AXOD AXODE Direct Overrun Drum (With 12 Slotted Holes) (1/2in Wide) 1986-Up |
| 46333 | AXOD AXODE Front Planet 1986-91 (Bronze) |
| 46337 | AXOD AXODE Rear Planet Support (Wide) 1988-Up (Bronze) |
| 46334 | AXOD AXODE Rear Sun Gear Drum (1.974 OD) 1986-91 |
| 46335 | AXOD AXODE Sun Gear Shell (Front) (1.582 OD) 1986-E93 |
| 46336 | AXOD Rear Planet Support (Narrow) 1986-87 |
| 46334A | AXODE AX4N Rear Sun Gear Drum (2.0 OD) 1993-Up (Bronze) |
| 46335A | AXODE AX4N Sun Gear Shell (Front) (1.61 OD) 1993-Up (Bronze) |
| 306031 | BTR 85LE 91LE 95LE 97LE Pump 1989-Up |
| 31539 | C-3 A4LD 4R44E 4R55E 5R55E Converter Housing (1.74 OD) 1974-Up (Babbitt) |
| 31530 | C-3 A4LD 4R44E 4R55E 5R55E Converter Housing (1.74 OD) 1974-Up (Bronze) |
| 31537 | C-3 A4LD 4R44E 4R55E 5R55E Extension Housing (1.50 OD) (Babbitt) |
| 31531 | C-3 A4LD 4R44E 4R55E 5R55E Stator (Front) With Spiral ID Groove (Bronze) |
| 31532 | C-3 A4LD 4R44E 4R55E 5R55E Stator (Rear) |

BUSHINGS

| SAP | Description |
|-----------------------|---|
| 31536 | C-3 A4LD 4R44E 4R55E Case (1.14 OD) (1.01 ID) (Bronze) |
| 31535 | C-3 A4LD 4R44E 4R55E Reverse Drum (2.64 OD) (2.51 ID) (Bronze) |
| 31534 | C-3 A4LD 4R44E Sun Gear (1.04 OD) (0.92 ID) (Bronze) |
| 45306 | C-3 A4LD Direct & Overdrive Clutch Drum (Steel Drum) |
| 31533 | C-3 A4LD Direct Clutch Drum (Cast Iron) 1999-Up |
| 45335 | C4 CS Case Rear 1964-86 (Bronze) |
| 33340 | C4 CS Direct Drum 1970-86 |
| 33356 | C4 CS Extension Housing (1.50 ID) 1964-86 (Babbitt) |
| 33356A | C4 CS Extension Housing (1.50 ID) 1964-86 (Bronze) |
| 45332 | C4 CS Forward Clutch Hub |
| 45336 | C4 CS Front Stator 1970-86 |
| 33355 | C4 CS Pump (Babbitt) |
| 33341 | C4 CS Pump (Bronze) |
| 45333 | C4 CS Sun Gear (Bronze) |
| 45334 | C4 Reverse/Brake Drum 1964-69 (Bronze) |
| 33344 | C6 Case (1.60 OD) (1.47 ID) 1966-Up (Bronze) |
| 46433 | C6 Case (Rear) W/Out Oil Groove (1.60 OD) (Bronze) |
| 46432 | C6 Case (With 3 Oil Grooves) (1.60 OD) (Bronze) (fits C6 Front - E40D 4R100 Front & Rear) |
| 45632 | C6 E40D 4R100 Direct Drum (Front) (3.07 OD) (Bronze) |
| 45633 | C6 E40D 4R100 Direct Drum (Rear) (2.87 OD) (Bronze) |
| 33343 | C6 E40D 4R100 Extension Housing (1.69 ID) (Bronze) |
| 33357 | C6 E40D 4R100 Extension Housing 1966-Up (Babbitt) |
| 33343A | C6 E40D 4R100 Extension Housing 1966-Up (PTFE Coated) |
| 45630 | C6 E40D 4R100 Stator (Front) & Overdrive Sun Gear (1.10 OD) (Bronze) |
| 45631 | C6 E40D 4R100 Stator (Rear) |
| 45634 | C6 E40D 4R100 Sun Gear (Primary) (1.44 OD) (1.32 ID) (Bronze) |
| 33354 | C6 E40D Front Pump Body (2.12 OD 0.760in Height) (Babbitt) |
| 33342 | C6 Pump Body (2.13 OD 2.00 ID) 1966-Up (Bronze) |
| 46539A | CD4E Converter Housing (Front Case Half) (1.74 OD) 1994-Up (Bronze) |
| 46531 | CD4E Converter Hub (1.89 OD 1.70 ID) 1994-Up (Bronze) |
| 46531A | CD4E Converter Reactor (1.05 OD 0.935 ID) 1994-Up (Bronze) |
| 46539 | CD4E Differential Housing (2.18 OD) 1994-Up (Bronze) |
| 46532 | CD4E Direct & Forward Clutch Drum (1.60 OD) 1994-Up (Bronze) |
| 46535 | CD4E Direct Hub & Shell (2.55 OD) (Bronze) |
| 46537 | CD4E Driven Sprocket (1.30 OD) 1994-Up (Bronze) |
| 46538 | CD4E Forward Planet (1.81 OD) (Bronze) |
| 46538B | CD4E Forward Sun Gear (2.24 OD) 1994-Up (Bronze) |
| 46533 | CD4E Inner Pump Gear (1.48 ID 1.358 ID) 1994-Up (Bronze) |
| 46536 | CD4E Intermediate Sun Gear (2.18 OD) 1994-Up (Alum) |
| 46534A | CD4E Reverse Clutch Drum (Front) (With Shoulder) |
| 46534 | CD4E Reverse Clutch Drum (Rear) 1994-Up |
| 46538A | CD4E Reverse Planet 1994-Up |
| 46538B | CD4E Reverse Sun Gear Shell 1994-Up |
| 46534B | CD4E Turbine Shaft 1994-Up |
| 46433AX | E40D 4R100 Case (1 Piece Type With 3 Front Grooves & 1 Rear Groove) 1995-Up |
| 46431B | E40D 4R100 Pump (2.12 OD) (2.00 ID) 1996-Up (Bronze) |
| 46431A | E40D 4R100 Pump Body 1996-Up (Bronze) |
| 46433X | E40D Case (1 Piece Type With 3 Front Grooves & No Rear Groove) 1989-94 |
| 46433A | E40D Case (Rear) With Oil Groove 1989-Up |
| 46436A | E40D Coast Clutch Drum (With Oil Groove) 1989-97 (Bronze) |
| 45038 | E40D Output Shaft Pilot |
| 27331 | F3A Converter Hub (1.418 OD) (1.27 ID) (Babbitt) |
| 27331A | F3A Converter Hub (1.457 OD) (1.29 ID) (Babbitt) |
| 27335 | F3A Cover (0.91 OD) (0.77 ID) (0.60 HT) 1981-84 (Babbitt) |
| 27339 | F3A Cover (0.93 OD) (0.78 ID) (Babbitt) |
| 27379 | F3A Cover (0.93 OD) (0.78 ID) (Babbitt) |
| 27332 | F3A Direct Drum (0.51 OD) (0.37 ID) (Babbitt) |
| 27338 | F3A Direct Drum (1.86 OD) (1.71 ID) (Babbitt) |
| 27333 | F3A Stator To Turbine Shaft (0.79 OD) (0.64 ID) (Babbitt) |
| 27337 | F3A Sun Gear (1.19 OD) (1.04 ID) (Babbitt) |
| 33357 | FMX Extension Housing 1968-81 (Babbitt) |
| 33343 | FMX Extension Housing 1968-81 (Bronze) |
| 33342 | FMX Front Pump Body (2.13 OD 2.00 ID) 1968-81 (Bronze) |
| Ford/GM | |
| 46038A | 6F35 6T40 6T45 6T50 3-5-Reverse & 4-5-6 Clutch Housing (Large/Rear) 2008-Up |
| 46037A | 6F35 6T40 6T45 6T50 3-5-Reverse & 4-5-6 Clutch Housing (Small/Front) 2008-Up |
| 46039AA | 6F35 6T40 6T45 6T50 Case 2008-Up |
| 46033A | 6F35 6T40 6T45 6T50 Output Carrier Transfer Gear Hub 2008-Up |
| 46034A | 6F35 6T40 6T45 6T50 Output Sun Gear Assembly 2008-Up |
| 46036A | 6F35 6T40 6T45 6T50 Reaction Carrier Hub (4-5-6 Hub) 2008-Up |
| 46035A | 6F35 6T40 6T45 6T50 Reaction Sun Gear Assembly 2008-Up |
| 46039B | 6F35 Bell Housing 2009-Up |
| 46031A | 6F35 Pump 2009-Up 6T40 6T45 6T50 (GEN 1) 2008-Up |
| 46032B | 6F35 Stator 2009-Up |
| General Motors | |
| 116034 | 1000/2000/2400 Allison Front Pump Body (2nd Design) 2000-Up |
| 33322 | 125 125C Case & Final Drive Gear 1980-Up |
| 33317 | 125 125C Converter Reactor (Stator) 1980-Up |
| 40034 | 125 125C Direct Drum (Front) (2.70 OD) 1980-Up (Bronze) |
| 40035 | 125 125C Direct Drum (Rear) (2.35 OD) 1980-Up (Bronze) |
| 40033 | 125 125C Driven Sprocket Support 1980-Up (Bronze) |
| 40037 | 125 125C Front Ring Gear (Input Gear) (1.62 OD 1.49 ID) 1980-Up (Bronze) |
| 40036 | 125 125C Input Shaft 1980-Up |
| 40039 | 125 125C Low/Reverse Clutch Housing & Rear Planet 1980-Up |
| 40038 | 125 125C Reaction Sun Gear Shaft (1.42 OD) 1980-Up (Bronze) |
| 33302 | 125 125C Sleeve Case (1.26 OD 1.11 ID) 1980-Up (Steel) |
| 33301 | 125C Converter Hub 1982-Up |
| 31666 | 180 180C 4L30E 2nd Clutch Drum (1.76 OD) 1969-Up (Bronze) |
| 31669 | 180 180C 4L30E Case (1.32 OD) (1.24 ID) 1969-Up (Bronze) |

BUSHINGS

| SAP | Description |
|---------|---|
| 33300 | 180 180C 4L30E Extension Housing (Dimpled) 1969-Up (Bronze) |
| 33318 | 180 180C 4L30E Front Pump (Converter Housing) 1969-Up (Babbitt) |
| 31668 | 180 180C 4L30E Input Sun Gear (2.32 OD) (2.19 ID) 1969-Up (Bronze) |
| 33300 | 200 200C 200-4R Extension Housing (Dimpled) 1976-90 (Bronze) |
| 41230 | 200 200C 200-4R Extension Housing 1976-90 (Babbitt) |
| 33320 | 200 200C 200-4R Front Ring Gear 1976-90 (Bronze) |
| 40438 | 200 200C 200-4R Low/Reverse Clutch Housing (Center Support) 1976-90 |
| 33321 | 200 200C 200-4R Pump Body 1976-90 (Babbitt) |
| 33321A | 200 200C 200-4R Pump Body 1976-90 (Bronze) |
| 40439 | 200 200C 200-4R Rear Planet 1976-90 |
| 40437 | 200 200C 200-4R Rear Sun Gear 1976-90 |
| 33317 | 200 200C 200-4R Stator Support (Front) 1976-90 |
| 40433 | 200 200C Direct Drum (Front) (2.11 OD) 1976-87 |
| 33319 | 200 200C Direct Drum (Rear) (1.88 OD 0.506in Height) 1976-87 (Bronze) |
| 40432 | 200 200C Stator Support (Rear) 1976-87 |
| 40734 | 200-4R Center Support Front (1.63 OD) (1.50 ID) 1981-90 (Bronze) |
| 40732 | 200-4R Direct Drum (Front) (2.28 OD) 1981-90 (Bronze) |
| 40039 | 200-4R Overdrive Planet 1981-90 |
| 40731 | 200-4R Overrun Drum 1981-90 |
| 33315 | 250 250C 350 350C Case to Shaft 1969-86 (Bronze) |
| 33313 | 250 250C 350 350C Direct Drum (Babbitt Narrow) 1969-86 |
| 33313A | 250 250C 350 350C Direct Drum (Narrow) 1969-86 (Bronze) |
| 33313B | 250 250C 350 350C Direct Drum (Wide No Oil Groove) 1969-86 (Bronze) |
| 33300 | 250 250C 350 350C Extension Housing (Dimpled) 1969-86 (Bronze) |
| 41230 | 250 250C 350 350C Extension Housing 1969-90 (Babbitt) |
| 41235 | 250 250C 350 350C Governor Bore 1969-86 (Bronze) |
| 33314 | 250 250C 350 350C Input Ring Gear (1.873 OD 0.31in Height) 1969-86 (Bronze) |
| 33305 | 250 250C 350 350C Output Shaft 1969-86 (Bronze) |
| 41236 | 250 250C 350 350C Output Shaft Pilot 1969-86 (Plastic) |
| 33318 | 250 250C 350 350C Pump Body 1969-86 (Babbitt) |
| 41232 | 250 250C 350 350C Stator (Rear) Bronze 1969-86 |
| 33312 | 250 250C 350 350C Sun Gear & Rear Planet Carrier (1.233 OD 0.377in Height) 1969-86 (Bronze) |
| 42237 | 250 350 Stator Front (30 Spline) 1969-Up |
| 33303 | 250C 350C Stator Front 1980-86 (Bronze) |
| 40433 | 325 325-4L Direct Drum (Large) (2.110 OD) 1979-85 |
| 33320 | 325 325-4L Forward Ring Gear 1979-85 (Bronze) |
| 40438 | 325 325-4L Low/Reverse Clutch Housing (Center Support) 1976-90 |
| 40439 | 325 325-4L Rear Planet 1979-85 |
| 40437 | 325 325-4L Rear Sun Gear 1979-85 |
| 33316 | 325 Pump Body 1979-81 (Bronze) |
| 33317 | 325-4L Converter Reactor (Stator) 1982-85 |
| 40432 | 325-4L Driven Sprocket Support 1982-85 |
| 40039 | 325-4L Overdrive Planet 1982-85 |
| 40731 | 325-4L Overrun Drum 1982-85 |
| 33304A | 400 4L80E Center Support (1.54 OD) 1964-Up (Babbitt) |
| 41539 | 400 4L80E Front Planet (2.31 OD) 1964-Up (Bronze) |
| 41538 | 400 4L80E Output Shaft (Narrow) (1.54 OD) 1970-Up (Bronze) |
| 41536 | 400 Case (2.13 OD) (2.00 ID) 1964-Up (Bronze) |
| 41534 | 400 Extension Housing (1.995 OD) (1.89 ID) 1964-Up (Bronze) |
| 33300 | 400 Extension Housing (Dimpled) 1967-Up (Bronze) |
| 41531 | 400 Output Shaft (Wide) (1.54 OD) (1.41 ID) 1964-74 (Bronze) |
| 33318 | 400 Pump 1964-Up (Babbitt) |
| 41935 | 440-T4 4T60E 4T65E 2nd Clutch Housing (Front) 1983-Up |
| 41934 | 440-T4 4T60E 4T65E 2nd Clutch Housing (Rear) 1983-Up |
| 33317 | 440-T4 4T60E 4T65E Converter Hub 1983-Up |
| 33317 | 440-T4 4T60E 4T65E Converter Reactor (Front) 1983-Up |
| 41932A | 440-T4 4T60E 4T65E Driven Sprocket Support 1983-Up |
| 41936B | 440-T4 4T60E 4T65E Input Shaft (With ID Groove) 1983-Up (Bronze) |
| 41936A | 440-T4 4T60E Channel Plate Sleeve 1983-Up (Steel) |
| 41939 | 440-T4 4T60E Final Drive Internal Gear Shaft 1983-Up |
| 41933 | 440-T4 4T60E Front Planet 1986-91 |
| 41936 | 440-T4 4T60E Input Shaft (1.49 ID) 1983-Up (Bronze) |
| 41930 | 440-T4 4T60E Input Sun Gear (1.21 OD) 1983-Up (Bronze) |
| 33322 | 440-T4 Case & 4T60E/4T65E Extension Housing 1983-Up |
| 41937 | 440-T4 Reaction Sun Gear (Front) 1983-92 |
| 31636A | 4L30E 3rd Clutch Drum Shaft (Pilot) (0.552 OD) 1989-Up (Bronze) |
| 31633AX | 4L30E Center Support 1989-Up |
| 31633A | 4L30E Center Support 1989-Up (Design Difference) |
| 40039 | 4L30E Overdrive Planet 1989-Up |
| 40731 | 4L30E Overrun Drum 1989-Up (Bronze) |
| 33317 | 4L30E Pump Stator (Front) 1989-Up |
| 41735 | 4L80E Case (2.13 OD 2.01 ID) 1991-92 (Bronze) |
| 33304B | 4L80E Center Support (1.54 OD) (1.41 ID) 1997-Up (Babbitt) |
| 41739 | 4L80E Extension Housing (2.02 OD) (1.89 ID) 1991-Up (Bronze) |
| 34066E | 4L80E Extension Housing 2004-Up |
| 41732 | 4L80E Forward Drum (1.58 OD 1.38 ID) 1991-Up (Bronze) |
| 41738 | 4L80E Overrun Drum (Front) (2.01 OD) 1991-Up (Bronze) |
| 41731 | 4L80E Pump (2.13 OD 2.00 ID) 1991-96 (Babbitt) |
| 41731A | 4L80E Pump 1997-Up (Bronze) |
| 41733 | 4L80E Stator Support (Front) (1.25 OD 1.13 ID) 1991-Up (Bronze) |
| 41736 | 4L80E Stator Support (Rear) (1.55 OD 1.43 ID) 1991-Up (Bronze) |
| 33303 | 4L80E Sun Gear Shaft (No Groove) & Overrun Drum 1991-Up (Bronze) |
| 33303A | 4L80E Sun Gear Shaft (With 4 Grooves) (1.13 OD) (1.00 ID) 1991-197 (Bronze) |
| 33322 | 4T40E Case 1995-Up |
| 33317 | 4T40E Converter Reactor (Front) 1995-Up |
| 41834 | 4T40E Direct Clutch Housing Rear 1995-Up (Bronze) |
| 41836 | 4T40E Direct/Coast Clutch Drum (Front) 1995-Up (Bronze) |
| 41836A | 4T40E Direct/Coast Clutch Drum (Rear) 1995-Up (Bronze) |
| 41833B | 4T40E Driven Sprocket Support (Rear) 1995-Up |
| 41837 | 4T40E Final Drive Sun Gear Shaft (Front) 1995-Up (Bronze) |

BUSHINGS

| SAP | Description |
|-------------------|---|
| 41832B | 4T40E Forward Clutch Hub 1995-Up (Bronze) |
| 41832 | 4T40E Forward Drum (Front Small One) 1995-Up (Bronze) |
| 41832A | 4T40E Forward Drum (Rear Large One) (2.41 OD) 1995-Up (Bronze) |
| 41833 | 4T40E Reaction Carrier Shell (Front) (1.80 OD) 1995-Up (Bronze) |
| 41833A | 4T40E Reaction Carrier Shell (Rear) 1995-Up |
| 41835 | 4T40E Reverse Input Drum (Front) (2.92 OD) 1995-Up (Bronze) |
| 41835A | 4T40E Reverse Input Drum (Rear) (2.60 OD) 1995-Up (Bronze) |
| 41937F | 4T60E 4T65E 1-2 Support (1.97 OD) 1996-Up (Bronze) |
| 41932E | 4T60E 4T65E Reaction Sun Gear (Front) 1991-Up |
| 41933E | 4T60E 4T65E Reaction Sun Gear (Rear) (Forward Band Drum) 1991-Up (Bronze) |
| 25038 | 6F50 6F55 6T70 6T75 4-5-6 Clutch (Overdrive) Rear 2007-Up |
| 25037 | 6F50 6F55 6T70 6T75 4-5-6 Clutch (Overdrive) Front 2007-Up |
| 25039 | 6F50 6F55 6T70 6T75 4-5-6 Clutch Drum 2007-Up |
| 25036 | 6F50 6F55 6T70 6T75 Output (Reaction) Sun Gear Shell 2007-Up |
| 25033 | 6F50 6F55 6T70 6T75 Output Hub Front 2007-Up |
| 25032 | 6F50 6F55 6T70 6T75 Output Rear 2007-Up |
| 25035 | 6F50 6F55 6T70 6T75 Output Sun Shell 2007-Up |
| 25034 | 6F50 6F55 6T70 6T75 Pump Drive 2007-Up |
| 25031 | 6F50 6F55 6T70 6T75 Stator Rear 2007-Up |
| 45036B | 6L50 2-6 & Low/Reverse Support Rear 2007-Up |
| 45035B | 6L50 3-5 Reverse & 2-6 Clutch Rear 2007-Up |
| 45033A | 6L50 6L80 6L90 1-2-3-4 & 3-5 Reverse 2007-Up |
| 45036A | 6L50 6L80 6L90 2-6 & Low Reverse Support Front 2006-Up |
| 45034A | 6L50 6L80 6L90 4-5-6 Clutch Drum 2006-Up |
| 45031A | 6L50 6L80 6L90 Bell Housing 2006-Up |
| 45035A | 6L50 6L90 3-5 Reverse & 2-6 Clutch Hub (Front) W/Ball Indentations 2007-Up |
| 45037A | 6L50 Output Shaft 2007-Up |
| 45032A | 6L50 Stator Front 2007-Up |
| 45032C | 6L50 Stator Rear 2007-Up |
| 45035C | 6L80 3-5 Reverse & 2-6 Clutch Hub (Front) W/Out Ball Indentations 2006-Up |
| 45036C | 6L80 6L90 2-6 & Low/Reverse Support Rear 2006-Up |
| 45035D | 6L80 6L90 3-5-Reverse & 2-6 Clutch Hub (Rear) 2006-Up |
| 45038B | 6L80 6L90 Case 2006-Up |
| 45038C | 6L80 6L90 Extension Housing (Fixed Yoke) 2006-Up |
| 45038D | 6L80 6L90 Extension Housing (Slip Yoke) 2006-Up |
| 45037B | 6L80 6L90 Output Shaft 2006-Up |
| 45032B | 6L80 6L90 Stator Front 2006-Up |
| 45032D | 6L80 6L90 Stator Rear 2006-Up |
| 23636 | 6R140 Direct Clutch Hub to Forward Clutch Hub (Front & Rear) 2011-Up |
| 23638 | 6R140 Extension Housing 2011-Up |
| 23632 | 6R140 Forward Clutch Drum (Front) 2011-Up |
| 23633 | 6R140 Forward Clutch Drum (Rear) 2011-Up |
| 23635 | 6R140 Intermediate Shaft to Forward Clutch Hub (Front & Rear) 2011-Up |
| 23634 | 6R140 Intermediate Shaft to OD Clutch Drum 2011-Up |
| 23631 | 6R140 Stator Shaft (Front) 2011-Up |
| 31832G | 6R60 Stator Bottom (Rear) 2006-Up |
| 31831G | 6R60 Stator Top (Front) 2006-Up |
| 46039AB | 6T40 6T45 6T50 Bell Housing 2008-Up |
| 46031AA | 6T40 6T45 6T50 Pump (GEN 2) 2012-Up |
| 46032A | 6T40 6T45 6T50 Stator 2008-Up |
| 46032A | 6T40 6T45 6T50 Stator 2008-Up |
| 33315B | 700R4 4L60E Case to Shaft 1969-Up (Babbitt) |
| 33315 | 700R4 4L60E Case to Shaft 1982-Up (Bronze) |
| 33300 | 700R4 4L60E Extension Housing (Dimpled) 1982-Up (Bronze) |
| 42236 | 700R4 4L60E Input Sun Gear Front and Rear 1982-Up |
| 33321T | 700R4 4L60E Pump Body (With PTFE Coating) 1982-Up |
| 33321 | 700R4 4L60E Pump Body 1982-Up (Babbitt) |
| 33321A | 700R4 4L60E Pump Body 1982-Up (Bronze) |
| 42233 | 700R4 4L60E Reaction Shaft (Front) 1982-Up |
| 42231 | 700R4 4L60E Reaction Shaft Carrier (Rear) 1982-Up |
| 42234 | 700R4 4L60E Rear Sun Gear 1982-Up (Bronze) |
| 42235 | 700R4 4L60E Reverse Drum (Front) 1982-Up (Bronze) |
| 33319 | 700R4 4L60E Reverse Drum (Rear) (1.88 OD 0.506in Height) 1982-Up (Bronze) |
| 42237 | 700R4 4L60E Stator (Front) (1.00 ID) 30 Spline 1980-Up |
| 42232 | 700R4 4L60E Stator (Rear) 1982-91 (Bronze) |
| 42237A | 700R4 Stator (Front) For 27 Spline Converter 1982-E84 (Bronze) |
| 33300 | Aluminum Powerglide Extension Housing (Dimpled) 1962-73 (Bronze) |
| 33318 | Aluminum Powerglide Front Pump Body 1962-73 (Babbitt) |
| 23637 | BUSHING OUTPUT SHAFT TO INTERMEDIATE SHAFT 6R140 2011-Up |
| 31740 | T65 Stator (Front) (23 Spline) Input Shaft 1962-Up |
| 31730 | T65 T66 Pump Body (1.82 OD) (1.70 ID) 1962-Up (Babbitt) |
| 31737 | T65 T66 Sun Gear & Planet (Rear) 1962-Up |
| Allison | |
| 33316 | AT540 AT545 Front Pump Body (Bronze) |
| BorgWarner | |
| 31730 | BW-35 Pump Body (1.82 OD 1.70 ID) 62-Up (Babbitt) |
| 31740 | BW-35 Stator (Front) (23 Spline) Input Shaft 62-Up |
| 31737 | BW-35 Sun Gear & Planet (Rear) 62-Up |
| Aisin | |
| 35036 | 50-40 50-42LE Plantary Sun Gear (0.97 OD) (Bronze) |
| 35033A | 50-40 50-42LE Pump Shaft Front (0.97 OD) (Bronze) |
| 35033 | 50-40 50-42LE Pump Shaft Rear (0.97 OD) (0.84 ID) (Bronze) |
| 35034 | 50-40 50-42LE Rear Planet (Front) No Groove (1.165 ID) (Bronze) |
| 35034A | 50-40 50-42LE Rear Planet (Rear With Groove) (1.165 ID) (Bronze) |
| 35032 | 50-40 Underdrive Clutch Front (1.22 OD) (Bronze) |
| 35032A | 50-40 Underdrive Clutch Rear (1.22 OD) (1.1 ID) (Bronze) |
| 35032B | 50-42LE Underdrive 1998-Up |
| 26337 | |

BUSHINGS

| SAP | Description |
|--------------|---|
| 26334 | A450-43LE Stator Front 1985-Up (Bronze) |
| 26333 | A450-43LE Stator Rear (1.16 OD) (Bronze) |
| 26335B | A450-43LE Sun Gear (1.12 OD) (1.07 ID) 1999-Up |
| 25430 | AW55-50SN AW551-51SN Pump |
| 35137 | AW55-50SN AW55-51SN Direct Clutch Front Hub (Rear Sun Gear) 2000-Up |
| 35135 | AW55-50SN AW55-51SN Rear Planet (Front) 2000-Up |
| 35136 | AW55-50SN AW55-51SN Rear Planet (Rear) 2000-Up |
| 35131 | AW55-50SN AW55-51SN Stator (Front) 2000-Up |
| 35132 | AW55-50SN AW55-51SN Stator (Rear) 2000-Up |
| 35133 | AW55-50SN AW55-51SN Underdrive Drum 2000-Up |
| Honda | |
| 28733 | AK AS F4 K4 CA L4 P1 G4 L5 PLSX Countershaft (Large) |
| 28731 | AK AS F4 K4 CA L4 P1 G4 L5 PLSX Main shaft (Front Small) |
| 28732 | AK AS F4 K4 CA L4 P1 G4 L5 PLSX Main shaft (Rear Large) |
| 28734 | MPYA M5DA Main & Counter Shaft |
| 28735 | MPYA M5DA MPWA Main & Counter Shaft |
| Hyundai, Kia | |
| 41031 | A4CF1/2 Converter 2006-Up |
| 41032 | A4CF1/2 Input Shaft 2006-Up |
| 28366 | A4CF1/2 Overdrive Clutch & Underdrive Sun Gear 2006-Up |
| 41034 | A4CF1/2 Reverse Clutch Hub 2006-Up |
| Mazda | |
| 27034 | 3N71B 4N71B N4A-EL Case Front (1.25 OD) 1972-Up (Babbitt) |
| 27036B | E4N71B N4A-EL Drum Support (1.50 OD) 1984-Up (Babbitt) |
| 27037A | E4N71B N4AEL Overdrive Sun Gear (1.35 OD) 1984-Up (Babbitt) |
| 27032B | E4N71B N4A-EL Stator Front (0.92 OD) 1984-Up (Babbitt) |
| 27035A | E4N71B N4A-EL Sun Gear (Front & Rear) 4 Speed 1984-Up (Babbitt) |
| 37032A | F4A33-1 Front Drum Rear (2.28 OD) 1990-Up (Babbitt) |
| 37033 | F4A33-1 Center Support (1.81 OD) (1.7 ID) (Babbitt) 1990-Up |
| 37036 | F4A33-1 Forward Sun Gear Front (0.89 OD) (Babbitt) 1990-Up |
| 37034 | F4A33-1 Output Shaft (1.42 OD) (1.31 ID) 1990-Up (Babbitt) |
| 37035A | F4A33-1 Transfer Shaft (0.89 OD) 1990-Up (Babbitt) |
| 37031A | F4A33-1 W4A33-1 Stator (0.98 OD) (Babbitt) |
| 37331 | F4A41 F4A42 F4A51 W4A42 F5A51 Pump Body 1996-Up |
| 37332 | F4A41 F4A42 F4A51 W4A42 F5A51 Stator (Front) 1996-Up |
| 28366 | F4A41 F4A42 W4A42 Output Sun Gear (0.703) 1996-Up |
| 37333 | F4A51 Reverse Hub (1.16in OD 1.08 ID) 1995-Up (Babbitt) |
| 27831 | F4AEL 4EAT-F Converter Hub (57.1mm) 1988-Up (Babbitt) |
| 32356A | F4AEL 4EAT-F Converter Reactor (Small) To Turbine Shaft (0.513 OD 0.394 ID) 1990-Up |
| 32351 | F4AEL 4EAT-F Inner Pump Gear (1.62 OD 1.50 ID) 1990-Up (Babbitt) |
| 32352 | F4AEL 4EAT-F Pump Front Side (0.95 OD 0.83 ID) 1990-Up (Babbitt) |
| 32354 | F4AEL 4EAT-F Pump Rear Side (1.03 OD 0.91 ID) 1990-Up (Babbitt) |
| 32356 | F4AEL 4EAT-F Stator (Large) For Turbine Shaft (1.01 OD 0.89 ID) (Babbitt) |
| 32355 | F4AEL 4EAT-F Sun Gear (Small) (0.95 OD 0.83 ID) 1990-Up (Babbitt) |
| 32353 | F4AEL 4EAT-F Sun Gear (1.32 OD 1.20 ID) 1990-Up (Babbitt) |
| 32357 | F4AEL 4EAT-F Turbine Shaft Inner Rear Outer 1990-Up |
| 41046 | F5A51 Direct Clutch Drum 2001-Up |
| 27833 | G4A-EL Band Drum (Or Sun Gear Shell) (1 3/8in Long) (Non Turbo) |
| 27873 | G4A-EL Turbine Shaft (Slides On) (PTFE Sleeve) |
| 27833A | G4A-EL/HL Band Drum (Or Sun Gear Shell) (1 5/8in Long) (Turbo) |
| 27831 | G4A-EL/HL Converter Hub (57.1mm) 1988-Up |
| 27832 | G4A-EL/HL Converter Hub (61.1mm) 1986-87 |
| 27837 | G4A-EL/HL Pump Cover (Front) |
| 27836 | G4A-EL/HL Pump Cover (Rear) |
| 27838 | G4A-EL/HL Stator Support (31 Spline) 1986-87 (Babbitt) |
| 27839 | G4A-EL/HL Stator Support (35 Spline) 1988-Up (Babbitt) |
| 27834 | G4A-EL/HL Sun Gear W/Out Slots Gear Side B 1986-Up |
| 27835 | G4A-EL/HL Sun Gear With Slots Spline Side B 1986-Up |
| 27873 | G4A-EL/HLTurbine Shaft 1986-Up |
| 27031 | L3N71B Extension Housing (1.58 OD 1.36 ID 1.575 Long) (Babbitt) |
| 27033 | L3N71B L4N71B Case (Rear) Wide (1.25 OD) (Babbitt) |
| 27030 | L3N71B L4N71B Pump Body (1.78 OD) (Babbitt) |
| 27032 | L3N71B L4N71B Stator (Front & Rear) (0.91 OD) 1971-Up (Babbitt) |
| 27035 | L3N71B L4N71B Sun Gear (Front & Rear) 3 Speed (1.10 OD) 1971-Up (Babbitt) |
| 26938 | L4N71B Extension Housing (1.495 ID) (Babbitt) |
| 27036A | L4N71B Overdrive Drum (1.86 OD) (Babbitt) |
| 27037 | L4N71B Overdrive Sun Gear (31 Teeth Type) (1.26 OD) (1.140 ID) 1984-Up (Babbitt) |
| 27032A | L4N71B Stator (Center) (0.89 OD) (0.310 Wide) 1984-Up (Babbitt) |
| 27032C | L4N71B Stator (Rear) (0.91 OD 0.785 Wide) (With 2 Notches) 1984-Up (Babbitt) |
| 31330 | 722.0 722.1 722.2 Front Pump Body (6 & 8 Cylinder) (1.85 OD) 1970-82 (Bronze) |
| 31431 | 722.3 722.5 Front Pump Body 1981-97 |
| Mitsubishi | |
| 28332 | KM170 KM171 KM172 KM175 Front Drum (2.17 OD) 1979-88 (Babbitt) |
| 28333A | KM170 KM171 KM172 Low & Reverse 1979-88 (Babbitt) |
| 28338 | KM170 KM171 Output Shaft (0.904 ID) 1979-88 (Babbitt) |
| 28335 | KM170 KM171 Reverse Sun Gear (0.95 OD) 1979-88 (Babbitt) |
| 28366 | KM170 KM171 Reverse Sun Gear (0.823 ID) 1979-88 (Bronze) |
| 28330 | KM170(All) Pump Body (1.82 OD) (1.70 ID) 1979-Up |
| 28331 | KM170(All) Stator Support (Front) (1.945 OD) 1979-88 (Bronze) |
| 28331A | KM170(All) Stator Support (Front) (1.988 OD) 1989-Up (Babbitt) |
| 28334 | KM171-5 KM175 175-5 KM176-5 KM177 Center Support 1983-Up |
| 28337 | KM171-5 KM175-5 KM176-5 KM177 (0.59 OD 0.47 ID) 1988-Up (Babbitt) |
| 28332B | KM171-5 KM175-5 KM176-5 KM177 Direct Drum Rear 1989-Up (Babbitt) |
| 28335A | KM171-5 KM175-5 KM176-5 KM177 Forward Sun Gear |
| 28332A | KM171-5 KM175-5 KM176-5 KM177 Front Drum 1989-Up (Babbitt) |
| 28336A | KM171-5 KM175-5 KM176-5 KM177 Reverse Sun Gear 1989-Up (Babbitt) |
| 28333 | KM172 KM175 Center Support (1.74 OD) 1984-88 (Bronze) |
| 28391 | KM172 KM175 KM177 Output Shaft (Front) (1.178 ID) 1983-88 |
| 28390 | KM172 KM175 KM177 Output Shaft (Rear) (1.018 ID) 1985-88 |

BUSHINGS

| SAP | Description |
|---------|--|
| 28336C | KM172 KM175 Sun Gear (1.10 OD) (1.03 ID) 1984-88 (Bronze) |
| 28332C | KM175 Front Drum (2.17 OD) (2.05 ID) 1984-Up (Babbitt) |
| 28336 | KM175 KM177 Reverse Sun Gear (1.10 OD) (1.023 ID) 1985-88 (Babbitt) |
| Nissan | |
| 29639 | RE4F03A RL4F03A Forward Drum (2.44 OD) 1991-Up (Bronze) |
| 29633 | RE4F03A RL4F03A High Clutch 1991-Up (Babbitt) |
| 29632 | RE4F03A RL4F03A Reverse Drum (2.16 OD) (Bronze) |
| 29637 | RE4F03A RL4F03A Stator Front (0.94 OD) 1991-Up (Babbitt) |
| 29635 | RE4F03A RL4F03A Sun Gear Front (1.15 OD) (Babbitt) |
| 29631 | RE4F03A RL4F03A Sun Gear Rear (1.27 OD) 1991-Up (Babbitt) |
| 29634A | RE4F04A Forward Drum (2.75 OD 2.62 ID) (Babbitt) |
| 29636A | RE4F04A Forward One Way Clutch Inner (Babbitt) 1992-Up |
| 29633A | RE4F04A Planet Front (0.91 OD) 1992-Up (Babbitt) |
| 29637A | RE4F04A Pump Body (1.85 OD) (Babbitt) |
| 29632A | RE4F04A Reverse Clutch 1992-Up (Bronze) |
| 29638A | RE4F04A Stator Front (1.03 OD) 1992-Up (Babbitt) |
| 29631A | RE4F04A Stator Rear (1.16 OD) 1992-Up (Babbitt) |
| 29635A | RE4F04A Sun Gear (1.28 OD) (1.1 ID) 1992-Up (Babbitt) |
| 26931B | RE4R03A RG4R01A JR403E Stator (Front) (1.048 ID) (1.146 OD) 1990-Up (Babbitt) |
| 173038 | RES05A Case 2002-Up |
| 173031 | RES05A Converter Hub 2002-Up |
| 173037 | RES05A Direct Clutch Drum 2002-Up |
| 173039 | RES05A Extension Housing 2002-Up |
| 173034B | RES05A Forward Sun Gear (Front) To Intern Shaft (Larger Diameter) 2002-Up |
| 173034 | RES05A Forward Sun Gear (Front) To Intern Shaft 2002-Up |
| 173034A | RES05A Forward Sun Gear (Rear) To Intern Shaft 2002-Up |
| 173033 | RES05A Input (K1) Drum to Intermediate Shaft 2002-Up |
| 173036 | RES05A K2 (High/Low) Drum 2002-Up |
| 173032 | RES05A OD Sun Gear (Band) Drum 2002-Up |
| 173035 | RES05A Rear Sun Gear 2002-Up |
| 26937BX | RG4R01A RE4R03A JR403E Case (1.57 OD) (1.42 ID) 1990-Up (Babbitt) |
| 26938B | RG4R01A RE4R03A JR403E Extension Housing (1.86 OD) 1990-Up (Babbitt) |
| 26935B | RG4R01A RE4R03A JR403E Forward One Way Clutch 1990-Up (Babbitt) |
| 26939B | RG4R01A RE4R03A JR403E High Drum (1.86 OD) 1990-Up (Babbitt) |
| 26929B | RG4R01A RE4R03A JR403E Reverse Drum (2.016 ID) (2.133 OD) 1990-Up |
| 26932B | RG4R01A RE4R03A JR403E Stator (Front) (1.23 OD) 1990-Up (Babbitt) |
| 26934B | RG4R01A RE4R03A JR403E Stator (Rear) (1.23 OD) (Babbitt) |
| 26933B | RG4R01A RE4R03A JR403E Sun Gear Shaft (1.62 OD) 1990-Up |
| 27238 | RL3F01A RN3F01A Converter Reactor Front 1981-Up |
| 27237 | RL3F01A RN3F01A Converter Reactor Rear 1981-Up |
| 27230 | RL3F01A RN3F01A Converter Hub 1981-Up (Babbitt) |
| 27234 | RL3F01A RN3F01A Front Drum 1981-Up |
| 27266 | RL3F01A RN3F01A Output Shaft 1981-90 (Plastic) |
| 27233 | RL3F01A RN3F01A Pump Gear 1981-Up |
| 27236 | RL3F01A RN3F01A Stator 1981-Up |
| 27231 | RL3F01A RN3F01A Sun Gear 1981-Up |
| 27631 | RL4F02A RE4F02A Converter Housing 1985-94 |
| 27639 | RL4F02A RE4F02A High Clutch Hub (Sleeve) 1985-94 |
| 27649 | RL4F02A RE4F02A Low Clutch Drum 1985-94 (Babbitt) |
| 27637 | RL4F02A RE4F02A Output Shaft 1985-94 |
| 27634 | RL4F02A RE4F02A Rear Ring Gear (1.4 OD) 1985-94 (Babbitt) |
| 27629 | RL4F02A RE4F02A Reverse Drum (2 slot) 1985-94 |
| 27636 | RL4F02A RE4F02A Stator Center (1 slot) (1.18 OD) 1985-94 (Babbitt) |
| 27638 | RL4F02A RE4F02A Stator Front Lock-up (1.04 OD) (Babbitt) |
| 27632 | RL4F02A RE4F02A Stator Front Non Lock-up (2 slots) (1.94 OD) 1985-94 |
| 27633 | RL4F02A RE4F02A Stator Rear (No slot) 1985-94 (Babbitt) |
| 27635 | RL4F02A RE4F02A Sun Gear (1.3 OD) 1985-94 (Babbitt) |
| 29634 | RL4F03A RE4F03A Pump Body (1.78 OD) (Babbitt) |
| 29638 | RL4F03A RE4F03A Stator (Rear) (1.07 OD) (Babbitt) |
| 26937X | RL4R01A RE4R01A RES01A R4A-EL Case (1.41 OD) (1.26 ID) 1987-Up (Babbitt) |
| 27635 | RL4R01A RE4R01A RES01A R4A-EL Front Sun Gear (Shell) (1.30 OD) 1987-Up (Babbitt) |
| 26934 | RL4R01A RE4R01A RES01A R4A-EL Output Shaft (Front) 1987-Up |
| 27629 | RL4R01A RE4R01A RES01A R4A-EL Reverse Drum 1987-Up |
| 27631 | RL4R01A RE4R01A RES01A R4A-EL RG4R01A RE4R03A JR403E Converter (Pump) Housing (0.845 ID) 1987-Up |
| 26939 | RL4R01A RE4R01A RES01A R4A-EL RG4R01A RE4R03A JR403E Forward Drum 1987-Up |
| 26935 | RL4R01A RE4R01A RES01A R4A-EL Ring (Internal) Gear 1987-Up (Babbitt) |
| 27639 | RL4R01A RE4R01A RES01A R4A-EL Sleeve 1987-Up |
| 27633 | RL4R01A RE4R01A RES01A R4A-EL Stator (Rear) (1.10 ID) 1987-Up (Babbitt) |
| 26932 | RL4R01A RE4R01A RES01A R4A-EL Stator Front (0.95 OD) 1987-Up (Babbitt) |
| 26932A | RL4R01A RE4R01A RES01A R4A-EL Stator Front (1.04 OD) 1987-Up (Babbitt) |
| Renault | |
| 29132A | AD4 AD8 Pump Gear (1.59 OD) (1.49 ID) (Bronze) |
| 252037 | DPO E2 Clutch Hub to Input Shaft 1998-Up |
| 252038 | DPO E2 Clutch Hub to Rear Cover 1998-Up |
| 252034 | DPO F3 Brake Drum (Front) to Input Shaft 1998-Up |
| 252035 | DPO F3 Brake Drum (Rear) to Input Shaft 1998-Up |
| 252036 | DPO Planetary Carrier To F3 Brake Drum 1998-Up |
| 252031 | DPO Pump Body to Converter 1998-Up |
| 252032 | DPO Stator (Front/Small) to Input Shaft 1998-Up |
| 252033 | DPO Stator (Rear/Large) to Input Shaft 1998-Up |
| Subaru | |
| 27931 | R4AXEL(4EAT) Converter Housing (2.24 OD) (1.97 ID) 1988-Up (Bronze) |
| 27631 | R4AXEL(4EAT) Converter Housing to Converter Hub 1987-Up |
| 27933 | R4AXEL(4EAT) Output Shaft (0.83 OD) (0.71 ID) 1987-Up (Babbitt) |
| 27934 | R4AXEL(4EAT) Pump Shaft Front (1.50 OD) 1987-Up (Babbitt) |
| 27932A | R4AXEL(4EAT) Stator Rear (1.10 OD) (0.95 ID) (Babbitt) |
| 27932 | R4AXEL(4EAT) Stator Shaft Front (1.05 OD) (0.98 ID) 1988-Up (Babbitt) |
| Toyota | |
| 277036 | U660E U760E Stator Front 2007-Up |

BUSHINGS

| SAP | Description |
|------------|---|
| 277052 | U660E U760E Sun Gear (Front & Rear) 2007-Up |
| 277042 | U660E U760E Underdrive Planet 2007-Up |
| 25832 | A130 A140 A240 Direct Drum |
| 25430 | A130 A140 A240 Pump Body |
| 25835 | A130 A140 A240 Ring Gear (0.87 OD) (Bronze) |
| 25438 | A130 A140 A240 Stator (Front) (0.98 OD 0.678in Height) (Bronze) |
| 25833 | A130 A140 A240 Stator (Rear) |
| 25834A | A130 A140 A240 Sun Gear |
| 25834 | A140 A240 Overdrive Direct Drum (Dr Overdrive Sun Gear) |
| 26139 | A340 A341 Forward Drum (Input Shaft) (1.07 OD) 1985-Up (Bronze) |
| 26135 | A340 A341 Overdrive Direct Drum (1.19 OD) 1985-Up (Bronze) |
| 26138 | A340 A341 Overdrive Direct Rear (1.19 OD) 1985-Up (Bronze) |
| 33383 | A340 Case 1985-Up |
| 26132 | A340 Direct Drum 1985-Up |
| 25431 | A340 Extension Housing (1.65 ID) 1984-Up (Babbitt) |
| 25437 | A340 Extension Housing (1.378in ID) 1985-Up (Bronze) |
| 26137 | A340 Extension Housing (1.74 OD 1.57in ID) 1985-Up (Babbitt) |
| 26131 | A340 Forward Sun Gear (Front) (1.19 OD) 1985-Up (Bronze) |
| 26136 | A340 Forward Sun Gear (Rear) (1.19 OD) 1985-Up (Bronze) |
| 26134 | A340 Front Planet Ring Gear (1.07 OD) 1985-Up (Bronze) |
| 25430 | A340 Front Pump 1985-Up |
| 26133 | A340 Input Shaft 1985-Up |
| 26033 | A340H (Transfer Case R150F) Direct Drum (2.0 OD) 1985-Up (Babbitt) |
| 33383 | A40 (All) Case 1981-Up |
| 25433 | A40 (All) Center Support (1.56 OD) 1972-Up (Bronze) |
| 25431 | A40 (All) Extension Housing (1.65 OD) (Babbitt) 1973-Up Except KM148 |
| 25436 | A40 (All) Output Shaft (0.83 OD) (Babbitt) |
| 25434A | A40 (All) Overdrive Sun Gear Rear (1.03 OD) 1973-Up (Babbitt) |
| 25430 | A40 (All) Pump Body |
| 25434 | A40 (All) Sun Gear Shaft Front & Rear 1972-Up (Bronze) |
| 49034 | A404 A413 470 Stator (0.97 OD) (0.88 ID) 1978-85 (Bronze) |
| 33390 | A404 A413 A470 A670 Extension Housing (1.52 OD) 1978-Up (Bronze) |
| 33392 | A404 A413 A470 A670 Front Clutch Retainer (Large) (2.15 OD) 1978-Up (Bronze) |
| 33393 | A404 A413 A470 A670 Front Clutch Retainer (Small) (1.48 OD) 1978-Up (Bronze) |
| 33395 | A404 A413 A470 A670 Front Ring Gear Hub 1978-Up |
| 33391 | A404 A413 A470 A670 Low/Reverse Drum (4.30 OD) 1978-Up (Bronze) |
| 33383 | A404 A413 A470 A670 Pump Body 1978-Up (Babbitt) |
| 33394 | A404 A413 A470 A670 Sun Gear (1.06 OD) 1978-Up (Bronze) |
| 49635 | A413 A470 A670 Stator (1.11 OD) (0.99 ID) 1986-Up (Bronze) |
| 26336 | A440F A442F Output Shaft 1985-95 |
| 26331 | A440F A442F Pump Body 1985-95 |
| 26335 | A440F Sun Gear (1.06 OD 0.94 ID 0.5 HT) 1985-95 (Bronze) |
| 26332A | A442F Overdrive Direct Drum (1.16 OD 1.0 ID) 1993-95 (Bronze) |
| 26333A | A442F Stator Rear (1.16 x 1.06 x 0.77) 1993-95 (Bronze) |
| 26335A | A442F Sun Gear (1.10 OD 0.99 ID 0.4 HT) 1993-95 (Bronze) |
| 25439 | A44D (KM148) Extension Housing (1.53 ID) 1987-93 |
| 24035 | A540 Input Hub (1.30 OD 1.19 ID) (Bronze) |
| 24036 | A540 Overdrive Direct Drum (Front) 1988-Up (Bronze) |
| 24033 | A540 Overdrive Direct Drum (Rear) 1988-Up (Bronze) |
| 25430 | A540 Pump Body 1988-Up |
| 25438 | A540 Stator Support (Front) (0.98 OD 0.678in Height) 1988-Up (Bronze) |
| 24031 | A540 Sun Gear (0.99 OD 0.89 ID) 1988-Up (Bronze) |
| 24032 | A540E Direct Drum 1988-Up |
| 77033 | AB60E AB60F C2 Clutch Hub 2007-Up |
| 77034 | AB60E AB60F C3 Clutch Hub 2007-Up |
| 77035 | AB60E AB60F C3 Clutch Hub 2007-Up |
| 77037 | AB60E AB60F Center Planet Hub 2007-Up |
| 77036 | AB60E AB60F Front Planet 2007-Up |
| 77032 | AB60E AB60F Input Shaft to Intermediate Shaft (Secondary Shaft to Output Shaft) 2007-Up |
| 77031 | AB60E AB60F Pump 2007-Up |
| 77066 | AB60E Extension Housing 2007-Up |
| Volkswagen | |
| 31138 | 010 087 089 090 Direct Drum (1.66 OD 1.54 ID) (Bronze) |
| 31030 | 010 087 089 090 Oil Pump 1969-Up (Bronze) |
| 31031 | 010 087 089 090 Pump Housing (0.37 OD) 1969-Up (Bronze) |
| 34136 | 095 096 097 098 3-4 Hub Pilot (Front) to Forward Drum (Bronze) |
| 34133 | 095 096 097 098 Forward Drum (Large) Front to Stator (0.88 OD) (Bronze) |
| 34134 | 095 096 097 098 Forward Drum Shaft (Small) Front (3.4 OD) (Bronze) |
| 34133A | 095 096 097 098 Forward Drum Shaft (Small) Rear (0.94 OD) (Bronze) |
| 34132 | 095 096 097 098 Pump Body (2.11 OD) (2.02 ID) (Bronze) |
| 34131 | 095 096 098 Drum Reverse (K2) (2.29 OD) (Bronze) |
| 34135 | 095 096 098 Planet Pinion Shaft (Bronze) |
| 27136 | M41 M41A Oil Pump Carrier (0.83 OD) (0.59 ID) 1975-89 (Steel) |
| ZF | |
| 31231 | ZF3HP22 ZF4HP22 ZF4HP24 Center Support (Also Covers Governor Support & 1st Clutch Drum) 1976-Up |
| 31230 | ZF3HP22 ZF4HP22 ZF4HP24 Front Pump (1.70 OD) 1976-93 (Bronze) |
| 29231 | ZF4HP14 Stator Rear (1.22 OD) (1.14 ID) 1985-Up (Bronze) |
| 32236 | ZF4HP18 3rd/4th Drum (0.59 OD) (1.48 ID) 1986-Up (Bronze) |
| 32231 | ZF4HP18 Pump Housing - Premier Only (1.89 OD) 1988-Up (Bronze) |
| 32233 | ZF4HP18 Stator Front (1.19 OD) (1.10 ID) 1986-Up (Bronze) |
| 32232 | ZF4HP18 Turbine Shaft (1.11 OD) (1.02 ID) 1986-Up (Bronze) |
| 31833G | ZF6HP26 6R60 Forward Clutch Drum (Large) 2006-Up |
| 31834G | ZF6HP26 6R60 Forward Clutch Drum (Small) 2006-Up |
| 31836GA | ZF6HP26 6R60 Forward Clutch Hub (28mm) 2006-Up |
| 31836G | ZF6HP26 6R60 Forward Clutch Hub 2006-Up |
| 31835G | ZF6HP26 6R60 Output Shaft & Clutch Drive |